

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

1000MG MUSCLE RUB (TOPICAL) // PRODUCED: DEC 07, 2021

CLIENT: CASCO BAY HEMP // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: 0417
MATRIX: TOPICAL
SAMPLE ID: NAL-211203-039
COLLECTED ON: DEC 03, 2021
RECEIVED ON: DEC 03, 2021
SAMPLE SIZE: 3 G
SAMPLED BY: BENJAMIN WALTERS
RECEIVED BY: KAYLIN KEITH

CANNABINOID OVERVIEW

CBD:	1.76 %
CBC:	0.0701 %
TOTAL CANNABINOIDS:	1.88 %

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: DEC 06, 2021 // ANALYSIS: DEC 07, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	0.0701 %	0.701 mg/g	0.00321/0.0160	N/A	
CBCA	ND	ND	0.00321/0.0160	N/A	
CBD	1.76 %	17.6 mg/g	0.00321/0.0160	N/A	
CBDA	< LOQ	< LOQ	0.00321/0.0160	N/A	
CBDV	< LOQ	< LOQ	0.00321/0.0160	N/A	
CBDVA	< LOQ	< LOQ	0.00321/0.0160	N/A	
CBG	ND	ND	0.00321/0.0160	N/A	
CBGA	ND	ND	0.00321/0.0160	N/A	
CBL	ND	ND	0.00321/0.0160	N/A	
CBLA	ND	ND	0.00321/0.0160	N/A	
CBN	< LOQ	< LOQ	0.00321/0.0160	N/A	

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.00321/0.0160	N/A
Δ ⁸ -THC		ND	ND	0.00321/0.0160	N/A
Δ ⁹ -THC	0.0454 %	0.454 mg/g	0.00321/0.0160	N/A	
Δ ¹⁰ -THC		ND	ND	0.00321/0.0160	N/A
EXO-THC		ND	ND	0.00321/0.0160	N/A
THCA		ND	ND	0.00321/0.0160	N/A
THCV		ND	ND	0.00321/0.0160	N/A
THCVA		ND	ND	0.00321/0.0160	N/A
TOTAL THC **	0.0454 %	0.454 mg/g			N/A
TOTAL CBD **	1.76 %	17.6 mg/g			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
DEC 07, 2021

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
DEC 07, 2021

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
DEC 07, 2021

https://lims.tagleaf.com/coa/_bVKKF9FtvF

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT