

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

900MG UNFLAVORED TINCTURE (TINCTURE) // PRODUCED: MAR 02, 2022

CLIENT: CASCO BAY HEMP // BATCH: PASSED



BATCH NO.: 0432
MATRIX: TINCTURE
DENSITY: .9384 g/ml
SAMPLE ID: NAL-220228-027
COLLECTED ON: FEB 28, 2022
RECEIVED ON: FEB 28, 2022
SAMPLE SIZE: 1.5 ML
SAMPLED BY: BENJAMIN WALTERS
RECEIVED BY: MIC LABEL

CANNABINOID OVERVIEW

CBD:	2.78 %
Δ⁹-THC:	0.00 %
TOTAL CANNABINOIDS:	2.78 %

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAR 01, 2022 // ANALYSIS: MAR 01, 2022

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	< LOQ	< LOQ		0.100/0.500	N/A
CBCA	ND	ND		0.100/0.500	N/A
CBD	2.78 %	26.1 mg/ml		0.100/0.500	N/A
CBDA	ND	ND		0.100/0.500	N/A
CBDV	ND	ND		0.100/0.500	N/A
CBDVA	ND	ND		0.100/0.500	N/A
CBG	ND	ND		0.100/0.500	N/A
CBGA	ND	ND		0.100/0.500	N/A
CBL	ND	ND		0.100/0.500	N/A
CBLA	ND	ND		0.100/0.500	N/A
CBN	< LOQ	< LOQ		0.100/0.500	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBNA		ND	ND	0.100/0.500	N/A
Δ ⁸ -THC		ND	ND	0.100/0.500	N/A
Δ ⁹ -THC		ND	ND	0.100/0.500	N/A
Δ ¹⁰ -THC		ND	ND	0.100/0.500	N/A
EXO-THC		ND	ND	0.100/0.500	N/A
THCA		ND	ND	0.100/0.500	N/A
THCV	< LOQ	< LOQ		0.100/0.500	N/A
THCVA		ND	ND	0.100/0.500	N/A
TOTAL THC **		ND	ND		N/A
TOTAL CBD **		2.78 %	26.1 mg/ml		N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 02, 2022

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 02, 2022

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 02, 2022

https://lims.tagleaf.com/coa_/k3Y8U6Gq9R

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT