

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

1000MG MUSCLE RUB (TOPICAL) // PRODUCED: OCT 25, 2022

CLIENT: CASCO BAY HEMP // BATCH: PASSED



BATCH NO.: 0484
MATRIX: TOPICAL
SAMPLE ID: NAL-221021-039
COLLECTED ON: OCT 21, 2022
RECEIVED ON: OCT 21, 2022
SAMPLE SIZE: 3 G
SAMPLED BY: BENJAMIN WALTERS
RECEIVED BY: ANNIE MATNEY

CANNABINOID OVERVIEW

CBD:	1.94 %
CBC:	0.0592 %
TOTAL CANNABINOIDS:	2.03 %

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: OCT 25, 2022 // ANALYSIS: OCT 25, 2022

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	0.0592 %	0.592 mg/g	0.00328/0.0164	N/A	
CBCA	ND	ND	0.00328/0.0164	N/A	
CBD	1.94 %	19.4 mg/g	0.00328/0.0164	N/A	
CBDA	< LOQ	< LOQ	0.00328/0.0164	N/A	
CBDV	< LOQ	< LOQ	0.00328/0.0164	N/A	
CBDVA	ND	ND	0.00328/0.0164	N/A	
CBG	< LOQ	< LOQ	0.00328/0.0164	N/A	
CBGA	ND	ND	0.00328/0.0164	N/A	
CBL	ND	ND	0.00328/0.0164	N/A	
CBLA	ND	ND	0.00328/0.0164	N/A	
CBN	< LOQ	< LOQ	0.00328/0.0164	N/A	

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.00328/0.0164	N/A
Δ ⁸ -THC		ND	ND	0.00328/0.0164	N/A
Δ ⁹ -THC	0.0340 %	0.340 mg/g	0.00328/0.0164	N/A	
Δ ¹⁰ -THC		ND	ND	0.00328/0.0164	N/A
EXO-THC		ND	ND	0.00328/0.0164	N/A
THCA		ND	ND	0.00328/0.0164	N/A
THCV		ND	ND	0.00328/0.0164	N/A
THCVA		ND	ND	0.00328/0.0164	N/A
TOTAL THC**	0.0340 %	0.340 mg/g		N/A	
TOTAL CBD**	1.94 %	19.4 mg/g		N/A	

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
OCT 25, 2022

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
OCT 25, 2022

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
OCT 25, 2022

https://lims.tagleaf.com/coa/_blkyHKw2O1

NOTES

CHRIS ALTOMARE
OCT 25, 2022

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

